
MEN'S COVERALLS (UNLINED AND INSULATED)



Height



Not all garments are available in full size range listed. Please refer to your product specification sheet(s) for available size range(s).

Red Wing Measuring Guide

Purpose-built for the work you do, our industrial workwear is designed to fit so well, so comfortably, that it may not even seem like personal protective equipment. Key measurements necessary to ensure the best possible fit include: Height, Chest, Waist, and Inseam. These sizing tables and measuring instructions are intended to guide you in selecting the right size(s) for each garment style. If you don't see the size you're looking for, please contact us for information about custom sizing.

For best fit, measurements should be taken directly from the body. (Room for movement is already calculated into garment dimensions.)

Fitting Charts


UNLINED			
SIZING			
Chest	EU/RU Equivalent	Inch / cm	Equivalent
32	42	30"-32"	76-82 cm
34	44	32"-34"	82-86 cm
36	46	34"-36"	86-92 cm
38	48	36"-38"	92-97 cm
40	50	38"-40"	97-102 cm
42	52	40"-42"	102-107 cm
44	54	42"-44"	107-112 cm
46	56	44"-46"	112-117 cm
48	58	46"-48"	117-122 cm
50	60	48"-50"	122-127 cm
52	62	50"-52"	127-132 cm
54	64	52"-54"	132-137 cm
56	66	54"-56"	137-142 cm
58	68	56"-58"	142-147 cm
60	70	58"-60"	147-152 cm
62	72	60"-62"	152-157 cm
64	74	62"-64"	157-163 cm
66	76	64"-66"	163-168 cm
68	78	66"-68"	168-173 cm
70	80	68"-70"	173-178 cm
Height	Inch / cm	Equivalent	
Short	up to 5' 9"	up to 175 cm	
Regular	up to 6' 1"	up to 185 cm	
Tall	6' 1" to 6' 4"	up to 196 cm	
Extra Tall	6' 4" and up	196 cm and up	

INSULATED		
SIZING		
Chest	Inch / cm	Equivalent
XS	34"-36"	88-92 cm
S	36"-38"	92-97 cm
М	38"-42"	97-107 cm
L	42"-46"	107-117 cm
XL	46"-50"	117-127 cm
2XL	50"-54"	127-137 cm
3XL	54"-58"	137-148 cm
4XL	58"-62"	148-158 cm
5XL	62"-66"	158-168 cm
6XL	66"-70"	168-178 cm
Height	Inch / cm	Equivalent
Short	up to 5' 9"	up to 175 cm
Regular	up to 6' 1"	up to 185 cm
Tall *	up to 6' 4"	up to 196 cm
Extra Tall *	6' 4" and up	196 cm and up

* Tall and Extra Tall not available in XS chest size.

WOMEN'S COVERALLS AND TROUSERS





Not all garments are available in full size range listed. Please refer to your product specification sheet(s) for available size range(s).

Red Wing Measuring Guide

Purpose-built for the work you do, our industrial workwear is designed to fit so well, so comfortably, that it may not even seem like personal protective equipment. Key measurements necessary to ensure the best possible fit include: Height, Chest, Waist, and Inseam. These sizing tables and measuring instructions are intended to guide you in selecting the right size(s) for each garment style. If you don't see the size you're looking for, please contact us for information about custom sizing.

For best fit, measurements should be taken directly from the body. (Room for movement is already calculated into garment dimensions.)

Fitting Charts

SIZING			
U.S. Women's	EU/RU Equivalent	Inch / cm Equivalent	
4	32	30"-32"	76-82 cm
6	34	32"-34"	82-86 cm
8	36	34"-36"	86-92 cm
10	38	36"-38"	92-97 cm
12	40	38"-40"	97-102 cm
14	42	40"-42"	102-107 cm
16	44	42"-44"	107-112 cm
18	46	44"-46"	112-117 cm
20	48	46"-48"	117-122 cm
22	50	48"-50"	122-127 cm
24	52	50"-52"	127-132 cm
26	54	52"-54"	132-137 cm
Height	Inch / cm	Equivalent	
Short	up to 5' 3"	up to 161 cm	
Regular	up to 5' 7"	up to 170 cm	
Tall	5' 8" and up	up to 180 cm	



Height Chest Waist Inseam

Not all garments are available in full size range listed. Please refer to your product specification sheet(s) for available size range(s).

Red Wing Measuring Guide

Purpose-built for the work you do, our industrial workwear is designed to fit so well, so comfortably, that it may not even seem like personal protective equipment. Key measurements necessary to ensure the best possible fit include: Height, Chest, Waist, and Inseam. These sizing tables and measuring instructions are intended to guide you in selecting the right size(s) for each garment style. If you don't see the size you're looking for, please contact us for information about custom sizing.

For best fit, measurements should be taken directly from the body. (Room for movement is already calculated into garment dimensions.)


Fitting Charts

SIZING				
Chest	Inch / cm Equivalent			
XXS	32"-34"	82-86 cm		
XS	34"-36"	86-92 cm		
S	36"-38"	92-97 cm		
Μ	38"-42"	97-107 cm		
L	42"-46"	107-117 cm		
XL	46"-50"	117-127 cm		
2XL	50"-54"	127-137 cm		
3XL	54"-58"	137-147 cm		
4XL	58"-62"	147-157 cm		
5XL	62"-66"	157-168 cm		
6XL	66"-70"	168-178 cm		
Height	Inch / cm Equivalent			
Regular	up to 6' 1"	up to 185 cm		
Tall *	up to 6' 4"	up to 196 cm		

* Tall not available in XXS and XS chest size.

WOMEN'S SHIRTS, LAB/SHOP COATS





Not all garments are available in full size range listed. Please refer to your product specification sheet(s) for available size range(s).

Red Wing Measuring Guide

Purpose-built for the work you do, our industrial workwear is designed to fit so well, so comfortably, that it may not even seem like personal protective equipment. Key measurements necessary to ensure the best possible fit include: Height, Chest, Waist, and Inseam. These sizing tables and measuring instructions are intended to guide you in selecting the right size(s) for each garment style. If you don't see the size you're looking for, please contact us for information about custom sizing.

For best fit, measurements should be taken directly from the body. (Room for movement is already calculated into garment dimensions.)

Fitting Charts

SIZING			
Chest	Inch / cm Equivalent		
XS	30"-32"	76-82 cm	
S	32"-36"	82-92 cm	
Μ	36"-40"	92-102 cm	
L	40"-44"	102-112 cm	
XL	44"-48"	112-122 cm	
2XL	48"-52"	122-132 cm	
Height	Inch / cm Equivalent		
Regular	up to 5' 7"	up to 170 cm	

MEN'S TROUSERS



Height Chest Waist Inseam

Not all garments are available in full size range listed. Please refer to your product specification sheet(s) for available size range(s).

Red Wing Measuring Guide

Purpose-built for the work you do, our industrial workwear is designed to fit so well, so comfortably, that it may not even seem like personal protective equipment. Key measurements necessary to ensure the best possible fit include: Height, Chest, Waist, and Inseam. These sizing tables and measuring instructions are intended to guide you in selecting the right size(s) for each garment style. If you don't see the size you're looking for, please contact us for information about custom sizing.

For best fit, measurements should be taken directly from the body. (Room for movement is already calculated into garment dimensions.)


Fitting Charts

Waist Inch / cm Equivalent 24 24" 61 cm 26 26" 66 cm 28 28" 71 cm 30 30" 76 cm 32 32" 82 cm 34 34" 86 cm 36 36" 92 cm 38 38" 97 cm 40 40" 102 cm 42 42" 107 cm 44 44" 112 cm 46 46" 117 cm 48 48" 122 cm 50 50" 127 cm 52 52" 132 cm 54 54" 137 cm 56 56" 142 cm 58 58" 147 cm 60 60" 152 cm 18eam 10ch / cm Equivalent 28 28" 28" 71 cm 30 30" 76 cm 32 32" 32" 34	0151110		
24 24" 61 cm 26 26" 66 cm 28 28" 71 cm 30 30" 76 cm 32 32" 82 cm 34 34" 86 cm 36 36" 92 cm 38 38" 97 cm 40 40" 102 cm 42 42" 107 cm 44 44" 112 cm 46 46" 117 cm 48 48" 122 cm 50 50" 127 cm 52 52" 132 cm 54 54" 137 cm 56 56" 142 cm 58 58" 147 cm 60 60" 152 cm 130 30" 76 cm 32 32" 82 cm 34 34" 87 cm	SIZING		
26 26" 66 cm 28 28" 71 cm 30 30" 76 cm 32 32" 82 cm 34 34" 86 cm 36 36" 92 cm 38 38" 97 cm 40 40" 102 cm 42 42" 107 cm 44 44" 112 cm 46 46" 117 cm 48 48" 122 cm 50 50" 127 cm 52 52" 132 cm 54 54" 137 cm 56 56" 142 cm 58 58" 147 cm 60 60" 152 cm 130 30" 76 cm 32 32" 82 cm 34 34" 87 cm			
10 <th10< th=""> 10 10 10<!--</th--><th>24</th><th></th><th>61 cm</th></th10<>	24		61 cm
30 30" 76 cm 32 32" 82 cm 34 34" 86 cm 36 36" 92 cm 38 38" 97 cm 40 40" 102 cm 42 42" 107 cm 44 44" 112 cm 46 46" 117 cm 48 48" 122 cm 50 50" 127 cm 52 52" 132 cm 54 54" 137 cm 56 56" 142 cm 58 58" 147 cm 60 60" 152 cm Inseam Inch / cm Equivalent 28 28" 71 cm 30 30" 76 cm 32 32" 82 cm 34 34" 87 cm	26	20	66 cm
32 32" 82 cm 34 34" 86 cm 36 36" 92 cm 38 38" 97 cm 40 40" 102 cm 42 42" 107 cm 44 44" 112 cm 46 46" 117 cm 48 48" 122 cm 50 50" 127 cm 52 52" 132 cm 54 54" 137 cm 56 56" 142 cm 58 58" 147 cm 60 60" 152 cm Inseam Inch / cm Equivalent 28 28" 71 cm 30 30" 76 cm 32 32" 82 cm 34 34" 87 cm	28	28"	71 cm
34 34" 86 cm 36 36" 92 cm 38 38" 97 cm 40 40" 102 cm 42 42" 107 cm 44 44" 112 cm 46 46" 117 cm 48 48" 122 cm 50 50" 127 cm 52 52" 132 cm 54 54" 137 cm 56 56" 142 cm 58 58" 147 cm 60 60" 152 cm Inseam Inch / cm Equivalent 28 28" 71 cm 30 30" 76 cm 32 32" 82 cm 34 34" 87 cm	30		76 cm
36 36" 92 cm 38 38" 97 cm 40 40" 102 cm 42 42" 107 cm 44 44" 112 cm 46 46" 117 cm 48 48" 122 cm 50 50" 127 cm 52 52" 132 cm 54 54" 137 cm 56 56" 142 cm 58 58" 147 cm 60 60" 152 cm Inseam Inch / cm Equivalent 28 28" 71 cm 30 30" 76 cm 32 32" 82 cm 34 34" 87 cm	32	32"	82 cm
38 38" 97 cm 40 40" 102 cm 42 42" 107 cm 44 44" 112 cm 46 46" 117 cm 48 48" 122 cm 50 50" 127 cm 52 52" 132 cm 54 54" 137 cm 56 56" 142 cm 58 58" 147 cm 60 60" 152 cm Inseam Inch / cm Equivalent 28 28" 71 cm 30 30" 76 cm 32 32" 82 cm 34 34" 87 cm	34	34"	86 cm
40 40" 102 cm 42 42" 107 cm 44 44" 112 cm 46 46" 117 cm 48 48" 122 cm 50 50" 127 cm 52 52" 132 cm 54 54" 137 cm 56 56" 142 cm 58 58" 147 cm 60 60" 152 cm Inseam Inch / cm Equivalent 28 28" 71 cm 30 30" 76 cm 32 32" 82 cm 34 34" 87 cm	36	36"	92 cm
42 42" 107 cm 44 44" 112 cm 46 46" 117 cm 48 48" 122 cm 50 50" 127 cm 52 52" 132 cm 54 54" 137 cm 56 56" 142 cm 58 58" 147 cm 60 60" 152 cm Inseam Inch / cm Equivalent 28 28" 71 cm 30 30" 76 cm 32 32" 82 cm 34 34" 87 cm	38	38"	97 cm
14 112 cm 44 44" 112 cm 46 46" 117 cm 48 48" 122 cm 50 50" 127 cm 52 52" 132 cm 54 54" 137 cm 56 56" 142 cm 58 58" 147 cm 60 60" 152 cm Inseam Inch / cm Equivalent 28 28" 71 cm 30 30" 76 cm 32 32" 82 cm 34 34" 87 cm	40	40"	102 cm
46 46" 117 cm 48 48" 122 cm 50 50" 127 cm 52 52" 132 cm 54 54" 137 cm 56 56" 142 cm 58 58" 147 cm 60 60" 152 cm Inseam Inch / cm Equivalent 28 28" 71 cm 30 30" 76 cm 32 32" 82 cm 34 34" 87 cm	42	42"	107 cm
48 48" 122 cm 50 50" 127 cm 52 52" 132 cm 54 54" 137 cm 56 56" 142 cm 58 58" 147 cm 60 60" 152 cm Inseam Inch / cm Equivalent 28 28" 71 cm 30 30" 76 cm 32 32" 82 cm 34 34" 87 cm	44	44"	112 cm
50 50" 127 cm 52 52" 132 cm 54 54" 137 cm 56 56" 142 cm 58 58" 147 cm 60 60" 152 cm Inseam Inch / cm Equivalent 28 28" 71 cm 30 30" 76 cm 32 32" 82 cm 34 34" 87 cm	46	46"	117 cm
52 52" 132 cm 54 54" 137 cm 56 56" 142 cm 58 58" 147 cm 60 60" 152 cm Inseam Inch / cm Equivalent 28 28" 71 cm 30 30" 76 cm 32 32" 82 cm 34 34" 87 cm	48	48"	122 cm
54 54" 137 cm 56 56" 142 cm 58 58" 147 cm 60 60" 152 cm Inseam Inch / cm Equivalent 28 28 28" 71 cm 30 30" 76 cm 32 32" 82 cm 34 34" 87 cm	50	50"	127 cm
56 56" 142 cm 58 58" 147 cm 60 60" 152 cm Inseam Inch / cm Equivalent 28 28" 71 cm 30 30" 76 cm 32 32" 82 cm 34 34" 87 cm	52	52"	132 cm
58 58" 147 cm 60 60" 152 cm Inseam Inch / cm Equivalent 28 28" 71 cm 30 30" 76 cm 32 32" 82 cm 34 34" 87 cm	54	54"	137 cm
60 60" 152 cm Inseam Inch / cm Equivalent 28 28" 71 cm 30 30" 76 cm 32 32" 82 cm 34 34" 87 cm	56	56"	142 cm
Inseam Inch / cm Equivalent 28 28" 71 cm 30 30" 76 cm 32 32" 82 cm 34 34" 87 cm	58	58"	147 cm
28 28" 71 cm 30 30" 76 cm 32 32" 82 cm 34 34" 87 cm	60	60"	152 cm
30 30" 76 cm 32 32" 82 cm 34 34" 87 cm	Inseam	Inch / cm	Equivalent
32 32" 82 cm 34 34" 87 cm	28	28"	71 cm
34 34" 87 cm	30	30"	76 cm
	32	32"	82 cm
36 36" 92 cm	34	34"	87 cm
	36	36"	92 cm

MEN'S BIBS 'N' BRACES



Height



Not all garments are available in full size range listed. Please refer to your product specification sheet(s) for available size range(s).

Red Wing Measuring Guide

Purpose-built for the work you do, our industrial workwear is designed to fit so well, so comfortably, that it may not even seem like personal protective equipment. Key measurements necessary to ensure the best possible fit include: Height, Chest, Waist, and Inseam. These sizing tables and measuring instructions are intended to guide you in selecting the right size(s) for each garment style. If you don't see the size you're looking for, please contact us for information about custom sizing.

For best fit, measurements should be taken directly from the body. (Room for movement is already calculated into garment dimensions.)

valent 76 cm 82 cm 92 cm


Fitting Charts

UNLINED		
SIZING		
Waist	Inch / cm	Equivalent
24	24"	61 cm
26	26"	66 cm
28	28"	71 cm
30	30"	76 cm
32	32"	82 cm
34	34"	86 cm
36	36"	92 cm
38	38"	97 cm
40	40"	102 cm
42	42"	107 cm
44	44"	112 cm
46	46"	117 cm
48	48"	122 cm
50	50"	127 cm
52	52"	132 cm
54	54"	137 cm
56	56"	142 cm
58	58"	147 cm
60	60"	152 cm
INSULATED		
SIZING	_	_
Waist	Inch / cm	Equivalent
XS	28"	71 cm
S	30"	76 cm
М	34"	86 cm
L	38"	97 cm
XL	42"	107 cm
2XL	46"	117 cm
3XL	50"	127 cm
4XL	52"	132 cm
5XL	56"	142 cm
6XL	60"	152 cm
Height	Inch / cm	Equivalent
Short	up to 5' 9"	up to 175 cm
Regular	up to 6' 1"	up to 185 cm
Tall *	up to 6' 4"	up to 196 cm

* Tall not available in XS waist size.

BASE LAYERS





Not all garments are available in full size range listed. Please refer to your product specification sheet(s) for available size range(s).

Red Wing Measuring Guide

Purpose-built for the work you do, our industrial workwear is designed to fit so well, so comfortably, that it may not even seem like personal protective equipment. Key measurements necessary to ensure the best possible fit include: Height, Chest, Waist, and Inseam. These sizing tables and measuring instructions are intended to guide you in selecting the right size(s) for each garment style. If you don't see the size you're looking for, please contact us for information about custom sizing.

For best fit, measurements should be taken directly from the body. (Room for movement is already calculated into garment dimensions.)

Fitting Charts

OPS			BOTTOMS		
SIZING			SIZING		
Chest	Inch / cm	Equivalent	Waist	Inch / cr	n Equivalent
XS	34"-36"	86-92 cm	XS	28	72-76 cm
S	36"-38"	92-97 cm	S	30	76-84 cm
Μ	38"-42"	97-107 cm	М	34	84-92 cm
L	42"-46"	107-117 cm	L	38	92-100 cm
XL	46"-50"	117-127 cm	XL	42	100-108 cm
2XL	50"-54"	127-137 cm	2XL	46	108-116 cm
3XL	54"-58"	137-147 cm	3XL	50	116-124 cm
4XL	58"-62"	147-157 cm	4XL	52	124-132 cm
	-		Height	Inch / cr	n Equivalent

Regular up to 6' 1" up to 185 cm